



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 10/18/2023 Version: 2.0

SECTION 1: Identification

1.1. Identification

: Mixture Product form Product name EverSolv 360™

1.2. Recommended use and restrictions on use Use of the substance/mixture : Cleaner

1.3. Supplier BioChem Systems, Inc. 480 Wildwood Forest Drive Suite 400

Spring, TX 77380 USA 1 (800) 777-7870

1.4. **Emergency telephone number**

Emergency number PERS - (800) 633-8253

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

Cleaning solution

GHS classification

Flam. Liq. 3 H226 H315 Skin Irrit. 2 Skin Sens. 1 H317 Asp. Tox. 1 H304

2.2. GHS Label elements, including precautionary statements

GHS labelling

Hazard pictograms (GHS)

Signal word (GHS)

Danger

H226 - Flammable liquid and vapour. Hazard statements (GHS)

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Precautionary statements (GHS)

smoking.

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof ventilating, lighting, electrical equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing vapours, spray, mist, gas.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear eye protection, face protection, protective clothing, protective gloves. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor

P302+P352 - If on skin: Wash with plenty of soap and water

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower

P321 - Specific treatment (see first aid instructions on this label)

P331 - Do NOT induce vomiting.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use alcohol resistant foam, Carbon dioxide (CO2), dry

extinguishing powder, dry sand, dry chemical to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS) Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. **Mixtures**

·			
Name	Product identifier	%	Notes
Natural Terpenes	(CAS-No.) Proprietary	*	[1]
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	(CAS-No.) Proprietary	*	[1]
Additive Package	(CAS-No.) Proprietary	*	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret. [1] Substance classified with a health or environmental hazard

Safety Data Sheet

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after eye contact

First-aid measures after ingestion

First-aid measures general : If exposed or concerned, get medical attention/advice. Show this safety data sheet to the

doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an

unconscious person.

First-aid measures after inhalation : IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention. If breathing is difficult, supply oxygen. If breathing has stopped, give artificial

respiration.

First-aid measures after skin contact : IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at

least 15 minutes. If irritation develops or persists, get medical attention.

: IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact

lenses if present and easy to do so. Get medical attention immediately. Continue rinsing.

: IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin

reaction.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact

Symptoms/effects after ingestion

Direct contact with eyes is likely to be irritating.

May be fatal if swallowed and enters airways.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapour.

Explosion hazard : No data available.

Reactivity : The substance is stable under normal storage and handling conditions.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the

environment. Eliminate all ignition sources if safe to do so.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Guard against spontaneous combustion of improperly discarded oily rags.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Keep unnecessary personnel away

: Keep unnecessary personnel away. Eliminate ignition sources. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

6.1.1. For non-emergency personnel

Protective equipment : Wear Protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use self-contained breathing apparatus.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid release to the environment. Retain and dispose of contaminated wash water. Contact local authorities in case of spillage to drain/aquatic environment.

6.3. Methods and material for containment and cleaning up

For containment : Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Absorb

with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Stop leak without risks if possible. Store in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13). Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Dike the spilled material, where this is possible. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Clean, preferably with a detergent. Do

not use solvents. Do not allow into drains or water courses.

6.4. Reference to other sections

See Sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

10/18/2023 **EverSolv 360™** 2/5

Safety Data Sheet

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking, or

> smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Flammable vapours may accumulate in the container.

Take precautionary measures against static discharge. Use only non-sparking tools.

Hygiene measures : Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities 7.2.

: Proper grounding procedures to avoid static electricity should be followed. Ground/bond Technical measures

container and receiving equipment. Use explosion-proof equipment.

Storage conditions Store in a well-ventilated place. Keep container tightly closed.

Incompatible products Heat sources.

Incompatible materials Strong oxidizing agents. Acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure

No established exposure limits for this product.

Carcinogen Data

No established chemicals at levels which require reporting for this product

Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.

Individual protection measures/Personal protective equipment

Personal protective equipment:

Safety glasses. Gloves. Protective clothing.

Materials for protective clothing:

Wear suitable protective clothing, gloves and eye/face protection

Hand protection:

Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl. Suitable gloves for this specific application can be recommended by the glove supplier. Change contaminated gloves immediately.

Eve protection:

Wear eye protection, consider chemical splash goggles and a face shield when possibility exists for eye contact due to spraying liquid or airborne particles.

Skin and body protection:

Wear long sleeves, and chemically impervious PPE/coveralls to minimize bodily exposure.

Respiratory protection:

In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment with gas filter (type A2). Use a positivepressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection. Wear a NIOSH-approved (or equivalent) full-facepiece airline respirator in the positive pressure mode with emergency escape provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Cleaning solution

Physical state Liquid Appearance Clear. Bright. Colour Clear Straw Odour Pine / Floral Odour threshold No data available

Neutral (10% solution with water)

Melting / Freezing point Liquid @ 25 °C Not Measured Boiling point Flash point 108 °F (42 °C) Relative evaporation rate < 1(H2O = 1)No data available Flammability (solid, gas)

Vapour pressure 2.67 hPa(a) (2.0 mm Hg) @ 20 °C

Relative vapour density at 20 °C No data available 0.84 @ 20 °C (H2O=1) Relative density Solubility No data available Log Pow No data available Auto-ignition temperature No data available No data available Decomposition temperature Viscosity, kinematic No data available Viscosity, dynamic No data available **Explosive limits** No data available Explosive properties No data available Not an Oxidizer.

Other information

Oxidising properties

No additional information available

10/18/2023 EverSolv 360™ 3/5

Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

The substance is stable under normal storage and handling conditions.

10.2. Chemical stability

No data available.

10.3. Possibility of hazardous reactions

Hazardous polymerization does not occur.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Oxidizing agents.

10.6. Hazardous decomposition products

Thermal decomposition generates: Carbon oxides (CO, CO₂). Toxic fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified
Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

Viscosity, kinematic : No data available

Symptoms/effects : May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin

reaction.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact
Symptoms/effects after ingestion

Direct contact with eyes is likely to be irritating.

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment but contains substance(s) dangerous for the environment. See section 3 for specific details. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description : UN2319 Terpene hydrocarbons, n.o.s. (Contains: Dipentene), 3, III

UN-No.(DOT) : UN2319

Proper Shipping Name (DOT) : Terpene hydrocarbons, n.o.s.

Contains: Dipentene

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : III - Minor Danger Hazard labels (DOT) : 3 - Flammable liquid

DOT Quantity Limitations Passenger aircraft/rail : 60 L (49 CFR 173.27)
DOT Quantity Limitations Cargo aircraft only (49 : 220 L CFR 175.75)



Safety Data Sheet

Emergency Response Guide (ERG) Number

Other information

: 128: Non-Bulk Domestic Ground: This material is not regulated for domestic ground shipments

by the U.S. Department of Transportation (DOT) when transported in non-bulk (a packaging which has a maximum capacity of 119 gallons or less as a receptacle for a liquid). Reference 49 CFR 173.120(b) (2) and 173.150 (f) (1).In summary, for non-bulk domestic

ground shipments:

DOT Class: Not Regulated Hazard Class: Not Applicable UN No.: Not Applicable

Transport by sea (IMDG)

Transport document description (IMDG) : UN 2319 TERPENE HYDROCARBONS, N.O.S. (Contains: Dipentene), 3, III, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS (32°C c.c.)

UN-No. (IMDG) : 2319

Proper Shipping Name (IMDG) : TERPENE HYDROCARBONS, N.O.S.

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : III - substances presenting low danger

Limited quantities (IMDG) : 5 L

Air transport (IATA)

Transport document description (IATA) : UN 2319 Terpene hydrocarbons, n.o.s. (Contains: Dipentene), 3, III, ENVIRONMENTALLY

HAZARDOUS

UN-No. (IATA) : 2319

Proper Shipping Name (IATA) : Terpene hydrocarbons, n.o.s. Class (IATA) : 3 - Flammable Liquids

Packing group (IATA) : III

SECTION 15: Regulatory information

15.1. US Federal regulations

EverSolv 360™

All chemical substances in this product are listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule"). as of Feb. 2019 or are otherwise exempt.

SARA Section 311/312 Hazard Classes Physical hazard - Flammable (gases, aerosols, liquids, or solids)

Health hazard - Skin corrosion or Irritation Health hazard - Aspiration hazard

Health hazard - Respiratory or skin sensitization

15.2. Canadian regulations

EverSolv 360™

All chemical substances in this product are listed on the Canadian Domestic Substances List (DSL) or Non-Domestic Substances List (NDSL) or are exempt

15.3. US State regulations

This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Revision date : 10/18/2023

Revised by : Regulatory & Compliance.

NFPA health hazard : 1 - Materials that are slightly hazardous.

NFPA fire hazard : 2 - Materials that must be preheated before ignition can

occur.

NFPA reactivity : 0 - Materials that in themselves are normally stable but can

become unstable at elevated temperatures and pressures.

HMIS Hazard Rating

Health : 1 Flammability : 2 Physical : 0



The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

10/18/2023 **EverSolv 360™** 5/5